



FB090/092/09G/08G 标准公制轴承 Metric Standard Bushing



※标准直套标注方式: Standard Bushing Label Mode FB □ 1010

单位Unit: mm


型号 Type	外径 φ D	内径 φ d	相配轴径 Axle	相配座孔 Housing	f ₁	f ₂	L ± 0.25						
							10	15	20	25	30	40	50
FB □	12	10	10 ^{-0.013 -0.028}	12 ^{+0.018 0}	0.6	0.3	1010	1015	1020				
FB □	14	12	12 ^{-0.016 -0.034}	14 ^{+0.018 0}			1210	1215	1220				
FB □	16	14	14 ^{-0.016 -0.034}	16 ^{+0.018 0}				1415	1420				
FB □	17	15	15 ^{-0.016 -0.034}	17 ^{+0.018 0}				1515	1520	1525			
FB □	18	16	16 ^{-0.016 -0.034}	18 ^{+0.018 0}				1615	1620	1625			
FB □	19	17	17 ^{-0.016 -0.034}	19 ^{+0.021 0}				1715	1720	1725			
FB □	20	18	18 ^{-0.016 -0.034}	20 ^{+0.021 0}	0.8	0.4		1815	1820	1825			
FB □	23	20	20 ^{-0.020 -0.041}	23 ^{+0.021 0}				2015	2020	2025	2030		
FB □	25	22	22 ^{-0.020 -0.041}	25 ^{+0.021 0}				2215	2220	2225	2230		
FB □	27	24	24 ^{-0.020 -0.041}	27 ^{+0.021 0}					2420	2425	2430		
FB □	28	25	25 ^{-0.020 -0.041}	28 ^{+0.021 0}	1.2	0.6			2520	2525	2530		
FB □	32	28	28 ^{-0.020 -0.041}	32 ^{+0.025 0}					2820	2825	2830		
FB □	34	30	30 ^{-0.020 -0.041}	34 ^{+0.025 0}					3020	3025	3030	3040	
FB □	36	32	35 ^{-0.025 -0.050}	36 ^{+0.025 0}					3220	3225	3230	3240	
FB □	39	35	35 ^{-0.030 -0.060}	39 ^{+0.025 0}					3520	3525	3530	3540	
FB □	44	40	40 ^{-0.025 -0.050}	44 ^{+0.025 0}	1.6	0.8			4020	4025	4030	4040	
FB □	50	45	45 ^{-0.025 -0.050}	50 ^{+0.025 0}					4520	4525	4530	4540	
FB □	55	50	50 ^{-0.025 -0.050}	55 ^{+0.030 0}							5030	5040	5050
FB □	60	55	55 ^{-0.030 -0.060}	60 ^{+0.030 0}							5530	5540	5550
FB □	65	60	60 ^{-0.030 -0.060}	65 ^{+0.030 0}							6030	6040	6050
FB □	70	65	65 ^{-0.030 -0.060}	70 ^{+0.030 0}							6530	6540	6550
FB □	75	70	70 ^{-0.030 -0.060}	75 ^{+0.030 0}							7030	7040	7050

FB090/092/09G/08G 标准公制轴承 Metric Standard Bushing



型号 Type	外径 φ D	内径 φ d	相配轴径 Axle	相配座孔 Housing	f1	f2	L ± 0.25					
							40	50	60	80	100	120
FB □	80	75	75 $\begin{smallmatrix} -0.030 \\ -0.060 \end{smallmatrix}$	80 $\begin{smallmatrix} +0.030 \\ 0 \end{smallmatrix}$	1.6	0.8	7540	7550	7560			
FB □	85	80	80 $\begin{smallmatrix} -0.030 \\ -0.060 \end{smallmatrix}$	85 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$			8040	8050	8060			
FB □	90	85	85 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	90 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$			8540	8550	8560			
FB □	95	90	90 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	95 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				9050	9560	9580		
FB □	100	95	95 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	100 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				9550	9560	9580		
FB □	105	100	100 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	105 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				10050	10060	10080	100100	
FB □	110	105	105 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	110 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				10550	10560	10580	105100	
FB □	115	110	110 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	115 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				11050	11060	11080	110100	
FB □	120	115	115 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	120 $\begin{smallmatrix} +0.035 \\ 0 \end{smallmatrix}$				11550	11560	11580	115100	
FB □	125	120	120 $\begin{smallmatrix} -0.036 \\ -0.071 \end{smallmatrix}$	125 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					12060	12080	12100	
FB □	130	125	125 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	130 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					12560	12580	125100	
FB □	135	130	130 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	135 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					13060	13080	130100	
FB □	140	135	135 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	140 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					13560	13580	135100	
FB □	145	140	140 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	145 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					14060	14080	140100	
FB □	150	145	145 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	150 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$					14560	14580	145100	
FB □	160	155	155 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	160 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$						15580	155100	155120
FB □	170	165	165 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	170 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$						16580	165100	165120
FB □	180	175	175 $\begin{smallmatrix} -0.043 \\ -0.083 \end{smallmatrix}$	180 $\begin{smallmatrix} +0.040 \\ 0 \end{smallmatrix}$						17580	175100	175120
FB □	190	185	185 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	190 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						18580	185100	185120
FB □	200	195	195 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	200 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						19580	195100	195120
FB □	210	205	205 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	210 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						20580	205100	205120
FB □	220	215	215 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	220 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						21580	215100	215120
FB □	230	225	225 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	230 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						22580	225100	225120
FB □	240	235	235 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	240 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						23580	235100	235120
FB □	250	245	245 $\begin{smallmatrix} -0.050 \\ -0.096 \end{smallmatrix}$	250 $\begin{smallmatrix} +0.046 \\ 0 \end{smallmatrix}$						24580	245100	245120
FB □	265	260	260 $\begin{smallmatrix} -0.056 \\ -0.108 \end{smallmatrix}$	265 $\begin{smallmatrix} +0.052 \\ 0 \end{smallmatrix}$						26080	260100	260120
FB □	285	280	280 $\begin{smallmatrix} -0.056 \\ -0.108 \end{smallmatrix}$	285 $\begin{smallmatrix} +0.052 \\ 0 \end{smallmatrix}$						28080	280100	280120
FB □	305	300	300 $\begin{smallmatrix} -0.056 \\ -0.108 \end{smallmatrix}$	305 $\begin{smallmatrix} +0.052 \\ 0 \end{smallmatrix}$						30080	300100	300120

FB090/092 标准公制轴承 Metric Standard Bushing



※标准直套标注方式: Standard Bushing Label Mode SF-4 □ 1010

单位Unit: mm

型号 Type	内径 φ d	外径 φ D	法兰外径 φ D ₁ ± 0.5	法兰壁厚 h ₀ ⁰ _{-0.20}	高度 L ± 0.25	f ₁	f ₂	相配轴径 Axle		相配座孔 Housing	
FB □ F 2520	25	28	35	1.5	20	0.8	0.4	25	-0.020 -0.041	28	+0.021 0
FB □ F 2525					25						
FB □ F 3020	30	34	45	2.0	20	1.2	0.6		-0.020 -0.041	34	+0.025 0
FB □ F 3025					25						
FB □ F 3030					30						
FB □ F 3530	35	39	50		30				-0.025 -0.050	39	+0.025 0
FB □ F 3540					40						
FB □ F 3550					50						
FB □ F 4030					30						
FB □ F 4040	40	44	55		40				-0.025 -0.050	44	+0.025 0
FB □ F 4050					50						
FB □ F 5030	50	55	65	2.5	30	1.6	0.8		-0.025 -0.050	55	+0.030 0
FB □ F 5040					40						
FB □ F 5050					50						
FB □ F 5530	55	60	70		30				-0.030 -0.060	60	+0.030 0
FB □ F 5540					40						
FB □ F 5550					50						
FB □ F 6040					40						
FB □ F 6050	60	65	75		50				-0.030 -0.060	65	+0.030 0
FB □ F 6060					60						
FB □ F 8050	80	85	100		50				-0.030 -0.060	85	+0.035 0
FB □ F 8060					60						
FB □ F 8080					80						
FB □ F 10050	100	105	120		50				-0.036 -0.071	105	+0.035 0
FB □ F 10060					60						
FB □ F 10080					80						
FB □ F 16060	160	165	190		60				-0.043 -0.083	165	+0.040 0
FB □ F 16080					80						
FB □ F 20060	200	205	235		60				-0.050 -0.096	205	+0.046 0
FB □ F 20080					80						